



SLN # CA-100013

**REGISTRATION FOR SPECIAL LOCAL NEED
FOR DISTRIBUTION AND USE ONLY WITHIN CALIFORNIA**

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision
and only for those uses covered by the Certified Applicator's certification.

Trade Name: Lorsban Advanced

EPA Reg. No.: 62719-591-AA

Firm Name: Dow AgroScience LLC

DIRECTION FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Location: Riverside County

Crop/Site/Commodity: Only for Use on Citrus Fruit (including calamondin, chironja, citrus citron, citrus hybrids, grapefruit, kumquat, lemon, lime, mandarin (tangerine), pummelo, Satsuma mandarin, sour orange, sweet orange, tangelo, tangor) within the Eradication Program in Riverside County.

Target Pest/Problem: California Red Scale

Dosage: Apply 8 to 12 pints of product per acre. Do not apply more than 16 pints of product (7.04 lbs a.i.) per acre per year.

Dilution Rate: See "Method of Application".



Method of Application: Ground, only

Apply as a concentrate or dilute spray using conventional, power-operated spray equipment. Use a higher rate in rate range when there is increased pest pressure. Use sufficient water to ensure thorough and complete coverage of the foliage and fruit. For dilute sprays (greater than 200 GPA), use a spray concentration of at least 0.5 pints of product per 100 gallons of finished spray.

Frequency/Timing of Application:

Treat when pests become a problem or in accordance with the local spray schedule as recommended by the State Agricultural Experiment Station, certified Pest Control Advisor, or Extension Service Specialist. To avoid excessive ridging, do not apply this product to citrus from December 1 up to the initiation of bloom.

Restricted Entry Interval (REI): 5 days (For early entry, See Personal Protective Equipment on product label.)

Preharvest Interval (PHI): 35 days

- Other Requirements:**
1. Do not make more than 2 applications of this product or other products containing chlorpyrifos per year (does not include citrus orchard floors).
 2. Do not make a second foliar application of this product or other products containing chlorpyrifos within 30 days of the first application.
 3. Do not allow meat or dairy animals to graze in treated areas.
 4. Do not apply when trees are stressed by drought or high temperatures.
 5. This product should not be used in combination with spray oil when temperatures are expected to exceed 95°F on the day of application or for several consecutive days thereafter.
 6. This product is highly toxic to bees exposed to direct treatment and shall not be applied when bees are actively visiting the area. During the citrus bloom period in California, apply from 1 hour after sunset until 2 hours before sunrise.

7. Use of Spray Oils: To improve control, a petroleum spray oil recommended for use on citrus trees may be added to spray mixture at up to 1 gallon per 100 gallons of spray.

Valid until withdrawn, suspended or cancelled by the United States Environmental Protection Agency (USEPA), the manufacturer, the 24(c) registrant, or the Department of Pesticide Regulation.

All applicable directions, restrictions, and precautions on the USEPA-registered label for Lorsban Advanced (EPA Reg. No. 62719-591) and this label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.


The County Agricultural Commissioner's (or designee's) signature must be obtained prior to this use. This does not constitute a recommendation of the Department of Pesticide Regulation and will not prevent quarantine action if illegal residues are found on or in the crop.

To the extent consistent with applicable law, neither the Department nor the county agricultural commissioner, makes any warranty of merchantability, fitness of purpose, or otherwise, expressed or implied, concerning the use of a pesticide in accordance with these provisions. The user and/or grower acknowledge the preceding disclaimer.

Do not use in mixture with other pesticides unless provided for in the labeling. Trial on a small area to check out unanticipated problems is suggested.

24(c) Registrant: California Citrus Quality Council
210 Magnolia Avenue, Suite 3
Auburn, California 95603
(530) 885-1894

USEPA SLN No. CA-100013



John E. Inouye
Environmental Scientist
Pesticide Registration Branch
(916) 324-3538

COUNTY AGRICULTURAL COMMISSIONER'S SIGNATURE

Date: _____

USER'S SIGNATURE _____